



**Calhoun: The NPS Institutional Archive**  
**DSpace Repository**

---

Reports and Technical Reports

All Technical Reports Collection

---

1976-03

# A multiattribute approach to measure quality of health care

Giauque, William C.

Monterey, California. Naval Postgraduate School

---

<http://hdl.handle.net/10945/30000>

*Downloaded from NPS Archive: Calhoun*



Calhoun is a project of the Dudley Knox Library at NPS, furthering the precepts and goals of open government and government transparency. All information contained herein has been approved for release by the NPS Public Affairs Officer.

**Dudley Knox Library / Naval Postgraduate School**  
**411 Dyer Road / 1 University Circle**  
**Monterey, California USA 93943**

<http://www.nps.edu/library>

NPS55Gi76031

# NAVAL POSTGRADUATE SCHOOL

## Monterey, California



A MULTIATTRIBUTE APPROACH TO MEASURE QUALITY  
OF HEALTH CARE

by

William C. Giauque

March 1976

Approved for public release; distribution unlimited.

Prepared for:

Office of Naval Research  
Arlington, Virginia 22217

FEDDOCS  
D 208.14/2:  
NPS-55Gi76031

NAVAL POSTGRADUATE SCHOOL  
Monterey, California

Rear Admiral Isham Linder  
Superintendent

Jack R. Borsting  
Provost

The work reported herein was supported in part by the Foundation Research Office of Naval Research.

Reproduction of all or part of this report is authorized.

This report was prepared by:

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NPS55Gi76031	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle)  A Multiattribute Approach to Measure Quality of Health Care		5. TYPE OF REPORT & PERIOD COVERED  Technical Report
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s)  William C. Giauque		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS  Naval Postgraduate School Monterey, California 93940		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS  61152N, RR-000-01010 N0001476WR60052
11. CONTROLLING OFFICE NAME AND ADDRESS  Office of Naval Research		12. REPORT DATE  March 1976
		13. NUMBER OF PAGES
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report)  Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)  Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)  Medical Care                      Decision Analysis Quality of Care                  Multivariate Utility		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)  The problem of measuring the quality of health care is one of the most evasive, yet important, problems in medical administration. Outcome measures, the ultimate validators of care, suffer from a number of drawbacks, including uncertainty and the multiplicity of possible outcome criteria. Measures of the medical decision process are easier to administer, but suffer from the lack of agreement on optimal processes for many <div style="text-align: right;">(Over)</div>		

20. situations. Measures of the physical or administrative structure of an organization are easiest from a data collection standpoint, but the optimal structure for quality care is not always clear. Multi-attribute utility (MAU) analysis can potentially resolve many of the issues involved in quality assurance, including the ones specifically mentioned above. In this paper the potential contributions of MAU analysis are outlined, a number of MAU studies contributing to quality measurement discussed, and suggestions for quality assurance systems made.

## ABSTRACT

The problem of measuring the quality of health care is one of the most evasive, yet important, problems in medical administration. Outcome measures, measures of the medical decision process, and measures of the physical or administrative structure of an organization, the three major approaches to quality measurement, all suffer from various drawbacks. Multiattribute utility (MAU) analysis can potentially resolve many of the issues involved in quality assurance. In this paper the potential contributions of MAU analysis are outlined, a number of MAU studies contributing to quality measurement discussed, and suggestions for quality assurance systems made.



A MULTIATTRIBUTE UTILITY APPROACH TO MEASURE QUALITY OF  
HEALTH CARE

William C. Giaugue D. B. A.  
Assistant Professor  
Naval Postgraduate School





## A MULTIATTRIBUTE UTILITY APPROACH TO MEASURE QUALITY OF HEALTH CARE

The need to develop a useful measure of the quality of medical care has become increasingly important in recent years. A number of reasons for this need can be cited, including the necessity of determining the quality of care delivered by innovative medical care systems, the increased interest in and use of paramedical professionals in delivering care, the need to control medical costs without sacrificing quality, the increasing role of third parties in paying the costs of medical care, and the need to certify institutions engaged in medical care delivery. The problem of how to measure quality of care, however, is an elusive one. Quality measurement requires one to compare multiple effectiveness criteria, to do so consistently, and to do so in an uncertain, complex environment. These considerations suggest the potential usefulness of multiattribute utility (MAU) analysis in deriving quality standards. Before discussing specifically the manner in which MAU analysis could contribute to this area, a brief summary of the capacities of MAU analysis is given, then some of the problems involved in defining and measuring quality of care are discussed. The potential role of MAU analysis in attacking some of these issues is indicated. Finally, a suggested quality measurement system is outlined.

### I. Summary of MAU Analysis

The term MAU Analysis, as used in this paper, refers to the normative system of decision analysis as expounded in a number of sources, among them Raiffa<sup>1</sup>, North<sup>2</sup>, Schlaifer<sup>3</sup>, and Brown et al<sup>4</sup>, together with the results of multiattribute utility theory as discussed by Keeney<sup>5,6,7,8</sup>,

Fishburn<sup>9,10,11</sup>, Fishburn and Keeney<sup>12</sup>, and Parguhar<sup>13</sup>, among others. In essence, multiattribute utility theoretic results allow one, given certain assumptions concerning one's utility structure, to develop and express a utility function over multiple attributes. This results in the development of a single measure of "goodness" which summarizes multiple, possibly conflicting, measures. Further, as first indicated by Von Neumann and Morgenstern<sup>14</sup>, the expected value of such a utility function can be used as a decision criterion under uncertainty. Decision analytic techniques then indicate how even complex decision problems can be structured and analyzed, using a utility function to guide the analysis. Final results can include not only optimal decision strategies, but such data as the value of additional information and the sensitivity of results to analytical inputs.

## II. Defining and Measuring Quality of Medical Care

With this preliminary summary of the analytic tools completed, let us turn to the problem at hand, measuring the quality of medical care. Defining "quality of medical care" is itself a task of remarkable difficulty. Donabedian<sup>15</sup> points out that in practice quality can be almost anything anyone wishes it to be, thus any discussion of the subject is potentially plagued with misunderstanding. "Quality of care" is clearly not a unitary concept but a composite of many, sometimes conflicting, desiderata which must be simultaneously considered. There is agreement on some of the factors that go into quality --- success of the care in preserving or restoring health, efficiency in the use of resources, prevention and alleviation of physical and psychological suffering --- but there is wide disagreement on how inclusive such a list of factors should be and how much emphasis is due each of the aspects. We might examine

this issue by considering first measures of quality of care for an individual, then discussing the issues involved in extending these concepts to groups or societies.

### Quality Measurement for Individuals

For an individual the delivery of medical care can be thought of as affecting, in a probabilistic sense, the health, psychological, and financial outcomes experienced by the person. A number of these outcomes are quantifiable, such as morbidity, mortality, amount of money expended on health-related items, freedom from pain and discomfort, even degree of freedom from psychological stress. For individuals then, the ultimate validators of quality exist in more or less accessible form, although in embarrassing richness. When trying to use outcomes to measure quality one must resolve a number of issues. First, which outcome measures are to be used, and how are they to be combined? In treating patients with certain chronic disabilities, for example, treatment strategies can depend strongly on whether one considers morbidity or mortality of primary importance. Second, even if one succeeds in devising a satisfactory unitary measure, the uncertainty and complexity of medical processes make it difficult to determine an optimal strategy for delivering care. Third, even if an optimal strategy were available, the diagnostic skills, treatment skills, patient management skills, even the mechanical skills (e.g. how quickly and easily can a hypodermic needle be inserted) of the medical practitioners involved in the delivery system can have a great impact on the outcomes. Thus, a standard of comparison is required against which actual outcomes can be measured. Ideally the standard would be quantitative, would control for the preexisting condition of the patient, and would allow for the inherent uncertainty in any medical intervention. A final problem with any quality control

system which depends on outcome measures is the time delay often required for some outcomes to become manifest. The success of some treatments is not fully known until years have passed.

MAU analysis offers the capacity of dealing with some of these issues. The issue of determining which outcome measures are to be used and the way in which they are to be combined can be resolved by assessing a utility function over those outcome measures the person considers relevant. The practicality of this approach has been demonstrated in a number of studies. Giaugue and Peebles<sup>16</sup>, in analyzing streptococcal sore throat and rheumatic fever, assessed a utility function over ten measures, including cost factors, the number of days ill with streptococcal infection, severity of antibiotic reactions if any, and the existence and severity of acute rheumatic fever and chronic rheumatic heart disease. Krischer<sup>17</sup>, in analyzing patient management decisions for cleft palate, assessed utility functions over such "nonquantifiable" factors as the degree of speech and hearing impediment and the degree of disfigurement remaining after treatment, as well as the cost of the treatment. Kapernick<sup>18</sup> assessed a utility function over costs, various degrees of illness and inconvenience, reduction in longevity, and the possibility of death in analyzing hypertension. Ginsberg and Offensend<sup>19</sup> assess utilities in analyzing a particular case of back pain, although they determine utilities directly for a limited number of outcomes rather than specifically assessing a multiattribute utility function. This approach is somewhat simpler than the multiattribute approach, but is limited in that only a small number of specific outcomes can be considered.

A potential problem which is not totally resolved by MAU techniques is that of whose utility function should guide the treatment of a patient. Clearly the patient

himself should be the primary choice, but there are situations where a patient's preferences may need to be subordinated to an overall societal need, for example in imposing a quarantine. This issue may be of more theoretical than practical importance if all persons involved have utility structures implying identical courses of action. In the studies by Giauque and Peebles<sup>16</sup> and Krischer<sup>17</sup> this was indeed the case. Giauque and Peebles reported that utilities assessed from patients, doctors, nurse practitioners, and public health officials varied from individual to individual but not in any systematic way from group to group, and that in any case the solution was so robust as to give identical optimal strategies for each assessor. Krischer reported that the utilities assessed by all respondents to a questionnaire were very close to each other. However one cannot always count on results being this fortuitous. In case of conflicting strategies, one solution would be to choose that which maximizes the group utility of the entire society. In the case of quarantine, for example, the disutility of the quarantine for the individual must be compared to the utility of disease avoidance by the remaining population. This general issue is discussed further in the next section of this paper.

The problem of determining optimal strategies for delivering care can also be attacked through MAU Analysis. Each of the studies cited above was decision oriented, in that the optimal strategies for administering diagnostic and treatment procedures were determined. A number of additional decision analytic studies of medical problems could also be cited. Ginsberg<sup>20</sup> analyzed the pleural-effusion syndrome, expounding in addition a general analytic framework for medical analysis. Lusted<sup>21</sup>, Jacques<sup>22</sup>, Gorry<sup>23,24</sup>, and Gorry and Barnett<sup>25</sup> discuss diagnostic approaches utilizing concepts of decision theory, while Betague and Gorry<sup>26</sup>, Schwartz et al<sup>27</sup>, and Gorry et



al<sup>28</sup> discuss additional concepts in medical decision analysis. Krischer<sup>17</sup> (Section 1.2) contains a useful summary of many of these papers. Giaugue<sup>29</sup> contains a summary of decision analytic studies in non-medical, as well as medical areas. Thus the feasibility of using decision analytic techniques to structure and resolve complex, uncertain problems has been demonstrated, but there remains the issue of practicality, determining whether an analysis is worth the not inconsequential time and trouble it takes to carry it out. Often the analysis would not be worthwhile for a single individual, but may be justified if the results could be applied to entire groups of patients. Most of the studies cited above were indeed intended to apply to most or all patients falling within certain classes. In some of the studies an attempt was made to identify those patient characteristics which would affect the derived optimal strategy. Giaugue and Peebles<sup>16</sup> for example examined the effects of patient age, days since onset of the symptomatic streptococcal infection, and prior history of penicillin reactions. Kapernick<sup>18</sup> controlled for patient age and general patient health. Such studies can be considered preliminary attempts to establish decision standards which are controlled for the preexisting condition of the patient, but clearly a good deal more needs to be done before definitive standards can be said to exist.

The third issue, establishing outcome standards to control for practitioner skill, cannot be done on an individual patient basis due to the stochastic nature of the medical process. Just as good decisions do not guarantee good outcomes, so good procedures administered with the utmost skill, even when combined with good decisions, cannot guarantee good outcomes. The MAU Analytic techniques discussed above do, however, establish average occurrence rates for various outcomes. These data could potentially be used as a basis for a control system, but this would have to

be over many patients, rather than for an individual case. In addition, the optimal strategies can themselves serve as standards, but as process standards rather than outcome standards. Process measurement offers a number of advantages over outcome measurement. First, results of process measurement are available relatively soon, immediately following the care delivery if necessary. Second, process measurement attempts to directly assess the quality of the decisions made, thus allowing one a standard which does not involve uncertainty. The uncertainty regarding outcomes is automatically accounted for in setting the standard. Finally, many process measurements are concrete, either in terms of whether or not a particular service was performed in an individual case, or in terms of statistical measures, such as the proportion of the population reached, the volume of services rendered, and the costs of service. Many suggested quality control techniques are built around process measures. Forst<sup>30</sup> suggests using process standards constructed by MAU analysis in determining settlements in malpractice suits. Flagle<sup>31</sup> suggests nine measures of process of care, covering the areas of inclusiveness, adequacy of content, and productivity. Donabedian<sup>32</sup> contains an extensive discussion of the issues involved in process measurement, many of which relate to the practicality of a measurement system for large groups. This leads us into a consideration of issues involved in quality measurement for groups and societies.

### Quality Measurement for Groups

Suppose we have successfully assessed utilities from and determined optimal treatment strategies for each member of a particular group, and we are now faced with decisions which may affect all members of the group. Decisions concerning care can still be made for each member of the



group individually, but these individual decisions are constrained by, and in some cases guided by, group decisions. The design of the delivery system, for example, can limit access to even basic medical care by some parts of the population. A societal decision to extend the availability of basic care through say a system of low cost neighborhood clinics might result in better care for some people, but one might legitimately ask whether this would result in higher overall quality than building, for example, a dialysis unit for those with kidney disease. In either case the failure of the group to provide certain resources may effectively limit the options open to the individuals. We are now faced with the problem of determining a so-called social welfare function, a measure which summarizes the welfare, or utility, of the group as a whole. If such a function could be found then our choice of group action could be guided by it, but there are some difficult theoretical and practical problems involved. Kirkwood<sup>33</sup> Chap. II contains a summary of these issues. Briefly, it is possible to define a social welfare function, given the utilities for each member of the group, but only if some restrictions are met. Perhaps the most convenient form is that given by Harsanyi<sup>34</sup>, which gives the group utility of any alternative as the weighted sum of the utilities of each individual for the alternative. Required conditions are that both the group utility and the individual utilities obey the von Neumann - Morgenstern axioms of cardinal utility or their equivalent, and that if two situations are indifferent from the standpoint of all individuals, then they are indifferent for the group as a whole. Kirkwood<sup>33</sup> generalizes these results by applying the concepts of pairwise preferential independence and mutual utility independence, as discussed in Keeney<sup>5,6,7,8</sup>, to group utility structures. The more general formulations developed by Kirkwood also construct the group utility function by multiplying the individual utilities by weighting constants,

then adding and/or multiplying the weighted utilities. Assuming these formulations give reasonable approximations in real conditions, one must only assign weights to each individual, in effect determining whose preferences should count the most, to get the group utility function. Giving each person in the group an equal weight is one obvious possibility, although this raises some interesting questions (should more weight be given to those who give the greatest financial support to the system, should age or general health affect weights, how should preferences of persons who deliver the care be accounted for, etc.).

Given the possibilities of this methodology in determining optimal strategies for the group, the practical problem remains of how to set up a quality control system which exploits them. As in the case of individual quality control the outcomes experienced by the group can be used to measure the overall effectiveness of a system, with the significant advantage that uncertainty, in a large sample, can be at least partially accounted for. Average occurrence rates, determined by the optimal strategies chosen, can serve as quality standards. However, the other major difficulty with outcome measures, the time delay often occurring between treatment and the final observation of all outcomes, still remains. Even if the delay is not excessive there are formidable problems in gathering data on all pertinent outcomes, especially once the patient leaves the site. We can, though, use process standards to determine the quality at least of the decision making, though perhaps not the skill of the practitioners in performing the processes.

Donabedian<sup>32</sup>, in his extensive discussion of process standards, points out that if we attempt to define standards for every possible situation, even allowing the possibility of setting meaningful standards, we would become hopelessly

bogged down in endless detail. Clearly we cannot hope to predefine optimal actions for each possible problem for each possible patient. However, we can determine, for those medical problems which are important, where uncertainty exists concerning which among significantly different courses of action is best, the relative desirabilities of different strategies, and determine the sensitivity of the choice of strategy to patient characteristics. Thus, critical factors are identified, allowing the practitioner to focus his attention and use his judgment on relative well defined issues. In addition, retrospective analysis can be used for quality control after the fact, either in medical audits or in lawsuits, as suggested by Forst<sup>30</sup>.

The mechanical and administrative problems of designing an ongoing, systematic quality assessment program remain formidable. Supposing that outcome and/or process standards exist for at least some areas, how are the data measuring actual outcomes and processes to be collected? Overall statistics on some outcome measures, such as mortality, are sometimes available, but data on other measures may be completely lacking. Patient records are generally sketchy, incomplete, and difficult to access. Recollections of patients and practitioners are subject to bias, inaccuracies, and incompleteness, while medical practitioners, particularly physicians, are loth to be too critical of colleagues. The mechanisms for conducting process reviews also lead to problems. Case reviews are expensive and suffer from the lack of good source data. Direct observation of a practitioner's activities is also expensive and is apt to change the practitioner's behavior. In addition, the observer may not know as much as the practitioner in some areas, particularly concerning patient histories, thus possibly leading to inaccurate judgments. Statistical indices, are easy to review, but may be difficult to collect, to identify with a particular system

of care, and to control for patient characteristics. For these reasons, structural measures usually supplement outcome measures and process measures in quality assessment.

Structure measures examine the physical, professional, and operational structures of institutions in which medical care takes place. As defined by Donabedian<sup>15</sup>, structure measures are "concerned with such things as the adequacy of facilities and equipment, the qualifications of medical staff and their organization; the administrative structure and operations of programs and institutions providing care; fiscal organization and the like." Structure measures can be relative easily and cheaply made, and the results are available quickly. In addition, they are fairly concrete, at least in part, thus are more amenable to control through guidelines and legislation than other measures. The major drawback of structure measures is the rather tenuous connection between structure and outcome. There are some instances where a connection can be drawn; if certain processes can be identified as desirable in treating a given disease and if those processes require certain types of training or equipment, then clearly the presence of that equipment or of adequately trained personnel is a necessary, though not sufficient, condition to good quality care. Even in this case, however, the actual delivery of high quality care is not assured. In more general situations, there can be significant differences of opinion concerning the contributions of various structural measures to the quality of care.

### III. Suggested Quality Control Systems

The setting in which medical care is being delivered has a great impact on the feasible mechanisms for administering a quality control system. In this section we will discuss three types of setting, a large controlled group, a small informal group or private practice, and quasi-medical institutions. There are, of course, other possibilities, but these three will suffice to illustrate the major issues.

#### Large Controlled Groups

A large controlled group is typified by many military health care organizations, as well as by some large civilian group or public health practices. The major characteristic of such groups is the existence of a recognized authority or chain of authority in administrative matters, and at least to some extent in medical matters. Such organizations serve sizable populations and usually, though not always, individual relationships between the patient and the health practitioner are not strong. This creates a need (not always fulfilled) for a good patient record system, while the existence of the central authority provides the means to design and implement such a system. Further, the size of such groups makes innovative methods of health care delivery both possible and important, and the need to evaluate the resulting quality of care is especially acute. For such settings, separate levels of quality control based on outcome measures, process measures, and structure measures are suggested. First, outcome data can be collected through the patient record system. To minimize the difficulties caused by the time lag between treatment and the observation of outcomes, "indicator" presenting symptom complexes could be selected and statistics on the outcomes for patients with



those presenting symptoms gathered. The indicator symptom complexes should be such that outcomes could be observed within a fairly short time, and should be common enough to allow reasonable sample sizes for each practitioner. The term "symptom complex", incidently, is used in place of "disease" since the patient presents a complex of symptoms to the medical system, and determining the cause of the symptoms, the disease, is part of the diagnostic problem. Some possible symptom complexes are<sup>35</sup> headache, lower back pain, constipation, and obesity. For each symptom complex chosen, MAU analysis could be used to determine which diagnostic/treatment processes are optimal, to examine the effects of patient characteristics upon optimal treatment choices and expected outcomes, to establish the expected frequency of various outcomes, and to determine what outcome data should be collected.

The second type of quality control appropriate in large controlled institutions is process control. As discussed earlier in this paper, MAU analysis can lead to process standards for a number of symptom complexes. In an institution of this sort process control can be implemented through reexamination of selected patients, by patient interviews, and through patient record audits. Again the MAU analysis would indicate the data that should be captured on patient records in order to make the audits complete. Flagle<sup>31</sup>, in discussing process standards, suggests nine criteria, namely

Measures of inclusiveness;

- proportion of the population reached,
- proportion of health problems covered,

Measures of content;

- completeness of services,
- rationality of services,
- responsiveness of services,
- humaneness of services,

Measures of productivity;  
volume of services rendered,  
health productivity, and  
costs of service.

The discussion above directly addresses issues in the areas of completeness and rationality of services, but the MAU techniques could just as easily be used to determine, for example, appropriate levels of inclusiveness.

The third level of control, based on structure measures, can be applied by ensuring that the capability for good quality care exists, in that appropriate equipment for the desired procedures is available and personnel are able to carry out the procedures. MAU analysis can both indicate what the optimal procedures are, and quantify the degree of quality given up if less than optimal facilities are available.

#### Small Informal Group or Private Practice

Problems of quality control in this setting are extremely difficult, as indicated by the literature (c.f. Donabedian<sup>15,32</sup>, Flagle<sup>31</sup>). Major issues are the lack of objective, complete data on patient symptoms, treatments, and outcomes, the difficulty of accessing what patient data is available, the lack of any person or group with the recognized authority to make quality judgments concerning private practices, and a long tradition against meddling with a physician's "private" affairs. It would clearly be very difficult to gather outcome data for such practices, but one might reasonably hope to utilize some types of process control. It seems reasonable, for example, to conduct "patient audits" from time to time. A sample of patients, either chosen randomly or selected by specific symptom complexes, could be interviewed, and the

test-treatment sequence reconstructed through patient records and the recollections of the patient and the physician. This of course would require a change in attitude on the part of many physicians. Measures based on structure would be much easier to construct and would give an indication of at least the potential for good quality care. Certification and recertification examinations and continuing education requirements can be and are being used to insure technical competence, while checklists of required laboratory facilities, medical instrumentation, examination facilities, and office procedures can insure an adequate physical and administrative environment.

### Certification of Quasi-Medical Institutions

There is currently a need for medical certification procedures for such quasi-medical institutions as nursing homes, rest homes, sanatoriums, and the like. In terms of controllability, such institutions fall between large groups and private practices. The right or an authority, usually the state, to examine and question medical standards is recognized, but the direct authority evident in, say, a military medical facility is lacking. In these situations, quality standards based on structure measures are certainly appropriate and feasible. If an institution requests certification to admit and treat a certain type of patient, clearly the physical facilities and medical staff required for quality treatment would have to be available. The major questions here generally pertain to the degree of capability required. Is it necessary to have a full time physician in a nursing home, or is it sufficient to have one available on call? Need regular physical examinations be provided? How often? Is a nurse able to deliver quality care in this setting, or a physician's assistant, or is a physician required? MAU analysis offers the capability of examining



any number of such questions.

Process measures can be made more effective in institutional than private practices since the state can reasonably impose standards of patient record keeping, and can reserve the right to conduct patient audits from time to time. In institutions most patients are physically available for extended periods, so it becomes feasible to conduct independent medical examinations. Finally the extended nature of institutional care allows for the gathering of some outcome data. If cure rates, length of stay, or other outcome measures for a particular institution are abnormal, a more intensive investigation, such as a patient audit, could be conducted.

## BIBLIOGRAPHY

1. Raiffa, H., Decision Analysis, Addison-wesley, Reading Mass. 1968
2. North, D.W., "A Tutorial Introduction to Decision Theory," IEEE Transactions in System Science and Cybernetics, Vol. SSC-4, No. 3 (Sept. 1968) pp. 200-210
3. Schlaifer, A.O., Analysis of Decisions Under Uncertainty, McGraw-Hill, New York, 1968
4. Brown, R.V., Kahr, A.S., and Peterson, C., Decision Analysis for the Manager, Holt, Rinehart and Winston, New York, 1974
5. Keeney, R.L., "Multidimensional Utility Functions: Theory, Assessment and Applications," Technical Report No. 43, Operations Research Center, MIT, Cambridge, Mass. October 1969
6. Keeney, R.L., "Utility Independence and Preferences for Multiattributed Consequences," Operations Research Vol. 19, pp. 276-287 (1972)
7. Keeney, R.L., "Utility Functions for Multiattributed Consequences," Management Science 18: pp. 276-287, 1972
8. Keeney, R.L., "Multiplicative Utility Functions," Technical Report No. 70, Operations Research Center, MIT, Cambridge, Mass. March 1972
9. Fishburn, P.C., Decision and Value Theory, Wiley, New York 1964

10. Fishburn, P.C. Utility Theory for Decision Making, Wiley, New York, 1970
11. Fishburn, P.C., "von Neumann-Morgenstern Utility Functions on Two Attributes," Operations Research Vol. 22 No. 1 (Jan.-Feb. 1974) pp. 35-45
12. Fishburn, P.C. and Keeney, R.L. "Generalized Utility Independence and Some Implications," Technical Report No. 93, Operations Research Center, MIT, Cambridge, Mass. April 1974
13. Fairgumar, P.H., "Fractional Hypercube Decompositions of Multiattribute Utility Functions," Technical Report 222, Department of Operations Research, College of Engineering, Cornell University, Ithica, New York, August 1974
14. von Neumann, J. and Morgenstern, O., Theory of Games and Economic Behavior, 3rd ed., Wiley, 1953
15. Donabedian, A., "Evaluating the Quality of Medical Care," Milbank Memorial Fund Quarterly, Vol. 44, No. 3, 1966
16. Giauque, W.C. and Peebles, T.C., "Application of Multidimensional Utility Theory in Determining Optimal Test-Treatment Strategies for Streptococcal Sore Throat and Rheumatic Fever," Technical Report NPS-55Gi74101, Naval Postgraduate School, Monterey, Calif., October 1974
17. Krischer, J.P., "An Analysis of Patient Management Decisions as Applied to Cleft Palate," Center of Research in Computing Technology, Harvard University,

Cambridge, Mass., Dec. 1974

18. Kapernick, R.E., "Medical Decision Analysis - An Application in Hypertension," Masters Thesis, Naval Postgraduate School, Monterey, Calif., March 1975
19. Ginsberg, A.S., and Offensend, F.I., "An Application of Decision Theory to a Medical Diagnostic-Treatment Problem," IEEE Transactions in System Science and Cybernetics, Vol. SSC-4, No. 3 (Sept. 1968) pp. 355-362
20. Ginsberg, A.S., Decision Analysis in Clinical Patient Management With an Application to the Pleural-Effusion Syndrome, Rand, R-751-2c/NLM, 1971
21. Lusted, L.B., Introduction to Medical Decision Making, Charles C. Thomas, Illinois, 1968
22. Jacquez, J.A., The Diagnostic Process, Ann Arbor, Michigan, Malloy Lithographing, Inc., 1964
23. Gorry, G.A., "Strategies for Computer Aided Diagnosis," Math. Biosciences 2:293-318, 1968
24. Gorry, G.A., "Modelling the Diagnostic Process," Journal of Medical Education, 45:293-302, 1970
25. Gorry, G.A. and Barnett, G.O., "Experience with a Model of Sequential Diagnosis," Computers and Biomedical Research, 2:490-507, 1968
26. Betague, N.E., and Gorry, G.A., "Automating Judgmental Decision Making for a Serious Medical Problem," Management Science 17:B421-434, 1971
27. Schwartz, W.B. et al, "Decision Analysis and Clinical

Judgment," American Journal of Medicine, 55:459-472, Oct. 1973

28. Gorry, et al, "Decision Analysis as the Basis for Computer-Aided Management of Acute Renal Failure," American Journal of Medicine, 55:473-484, October 1973
29. Giaugue, W.C., "Organizational Decision Making," Technical Report NPS-55Gi75091, Naval Postgraduate School, Monterey, Calif., September 1975
30. Forst, B.E., "Decision Analysis and Medical Malpractice," Operations Research Vol. 22 No. 1 (Jan.-Feb. 1974) pp. 1 - 12
31. Flagle, C.D., "Assessment of Quality of the Process of Care," in Collin, M.F. (ed.) Proceedings of an International Conference in Health Technology Systems, ORSA Health Applications Section, 1974
32. Donabedian, A., "Promoting Quality through Evaluating the Process of Patient Care," Medical Care, Vol. 6, No. 3, May-June, 1968
33. Kirkwood, C.W., "Decision Analysis Incorporating Preferences of Groups," Technical Report No. 74, Operations Research Center, MIT, Cambridge, Mass. June 1972
34. Harsanyi, J.C., "Cardinal Welfare, Individualistic Ethics, and Interpersonal Comparisons of Utility," J. Pol. Economy, Vol. 63, pp. 309-21 (1955)
35. For this paragraph I gratefully acknowledge the ideas of Dr. Joseph D. Bloom, Dr. Ralph R. Palumbo, and Dr. James J. Quinn, all Capt., MC, USN, of the Naval

Regional Medical Center, San Diego, Calif.

# INITIAL DISTRIBUTION LIST

No. of Copies

Defense Documentation Center  
Cameron Station  
Alexandria, Virginia 22314

12

Dean of Research  
Code 023  
Naval Postgraduate School  
Monterey, California 93940

1

Library (Code 0212)  
Naval Postgraduate School  
Monterey, California 93940

2

Library (Code 55)  
Naval Postgraduate School  
Monterey, California 93940

2

Professor R. W. Butterworth  
Professor C. E. Derr  
Professor C. K. Eoyang  
Professor D. E. Gaver  
Professor W. C. Giauque  
Professor P. J. Parker  
Professor C. A. Peterson  
Professor E. A. Schradt  
Professor M. G. Sovereign  
Professor M. U. Thomas  
Professor D. R. Whipple  
Department of Operations Research  
and Administrative Sciences  
Naval Postgraduate School  
Monterey, California 93940

1  
1  
1  
1  
10  
1  
1  
1  
1  
1  
1  
1

E. David Abrams  
Associate Director for Research  
Health Planning Research Services, Inc.  
550 Pinetown Road  
Fort Washington, PA. 19034

1

Carla Autelli  
Library  
Centro Diagnostico Italiano  
Via Saint Bon 20  
20147 Milano  
ITALY

1

Professor L. F. Baron  
Graduate School of Management  
Department of Managerial Economics and Decision Sciences  
Northwestern University  
Evanston, Illinois 60201

1

Professor Oscar Barros  
Departamento de Industrias  
Universidad de Chile  
Casilla 2777 - Santiago  
CHILE

1

Dr. John J. Bernardo Department of Management College of Business Administration University of Notre Dame Notre Dame, Indiana 46556	1
Capt. Joseph D. Bicom, MC, USN Chairman, Department of Internal Medicine Naval Regional Medical Center San Diego, California 92134	1
John D. Bowman Auburn University School of Pharmacy Auburn, Alabama 36830	1
Dr. J. W. Busb Director, Division of Health Policy and Management Muir College, Bldg. 2-D, Rm. 2346 Department of Community Medicine School of Medicine University of California, San Diego La Jolla, California 92037	1
Zane K. Campbell Director, Corporate Planning Omark Industries 2100 S. E. Milport Road Portland, Oregon 97222	1
Professor Jared L. Conon The Department of Geography and Environmental Engineering The Johns Hopkins University Baltimore, Maryland 21218	1
Professor G. Colson Ecole D'Administration des Affaires Faculte de Droit Universite de Liege Place du XX Aout, 32 4000 Liege BELGIUM	1
Consad Research Corporation 121 N. Highland Avenue Pittsburgh, Pennsylvania 15206 Attn: Mrs. Sheila Steger, Librarian	1
Professor Rolf A. Deininger The University of Michigan School of Public Health Department of Environmental and Industrial Health Ann Arbor, Michigan 48104	1
Dr. Edward N. Dodson General Research Corporation Science and Technology Division 5383 Hollister Avenue P. O. Box 3587 Santa Barbara, California 93105	1



Professor James S. Dyer 1  
University of California, Los Angeles  
Graduate School of Management  
Los Angeles, California 90024

Dr. Charles Eby 1  
17001 Wooddale Drive  
Silver Spring, MD 20904

Professor Lynn A. Evans 1  
Baylor College of Medicine  
Texas Medical Center  
Houston, Texas 77025

Dr. Peter H. Farguhar 1  
Information Sciences Dept.  
The RAND Corporation  
1700 Main Street  
Santa Monica, CA 90406

Professor Charles Flagle 1  
Department of Operations Research  
The Johns Hopkins University  
Baltimore, Maryland 21205

Dr. Brian E. Forst 1  
Senior Research Analyst  
Institute for Law and Social Research  
1125 15th St. N. W.  
Suite 625  
Washington, D. C. 20005

Dr. Charles C. Gibson 1  
Executive Director  
Tulsa Area Health and Hospital Planning Council  
Room 607  
324 Main Mall  
Tulsa, Oklahoma 74103

Professor John K. Gohagan 1  
Washington University  
Program in Technology and Human Affairs  
Box 1106  
Attn. Gohagan/Williams  
Saint Louis, Missouri 63130

Dr. A. J. Goldman 1  
Chief, Operations Research  
Division 205.02  
Administration Building, Room A428  
U.S. Department of Commerce  
National Bureau of Standards  
Washington, D. C. 20234

Dr. William A. Golomski 1  
59 East Van Buren Street  
Chicago, Illinois 60605

Dr. Paul Gray 1  
University of Southern California  
School of Business Administration  
Department of Quantitative Business Analysis

University Park  
Los Angeles, California 90007

Professor Douglas D. Gregory 1  
Oakland University  
School of Economics and Management  
Rochester, Michigan 48063

Professor David H. Gustafson 1  
Department of Industrial Engineering  
University of Wisconsin  
Madison, Wisconsin 53706

Dr. Herman B. Hamot 1  
Director, Statistical Services  
Medical Research Department  
Sandoz, Inc.  
East Hanover, N. J. 07936

Dr. Edward L. Hannan 1  
Health Studies Center  
Bailey Hall  
Union College  
Schenectady, N. Y. 12308

Dr. Michael C. Harris 1  
Staff Economist  
Southwest Michigan Comprehensive Health Planning Association  
Partnership for Health  
517 Ship St. Rm. 7  
Peoples State Bank Bldg.  
St. Joseph, Mich. 49085

Professor Brian D. Henshall 1  
Department of Management Studies  
The University of Auckland  
Private Bag  
Auckland  
NEW ZEALAND

Barbara C. Hicks, M. S. S. W. 1  
Research Associate  
Bo106  
Department of Behavioral Sciences and Community Health  
The University of Connecticut Health Center  
Farmington, Connecticut 06032

Professor G. David Hughes 1  
Graduate School of Business Administration  
University of North Carolina  
Chapel Hill, North Carolina 27514

Professor Ralph Keeney 1  
Mass. Institute of Technology  
Operations Research Center, Rm. 24-215  
Cambridge, Mass. 02139

Professor Kerry E. Kilpatrick 1  
Director  
J. Hillis Miller Health Center  
University of Florida  
Gainesville, Florida 32610

Dr. L. F. 'Krys' Krystynak Senior Scientific Advisor Department of Health, Education, and Welfare Public Health Service Health Resources Administration Rockville, Maryland 20852	1
Professor Leonard R. Lamberson Industrial Engineering and Operations Research College of Engineering Wayne State University Detroit, Michigan 48202	1
Dr. Agnes D. Livingood Public Policy Analysis Director Urban Studies Center Gardencourt Campus Alta Vista Road University of Louisville Louisville, Kentucky 40205	1
Professor Stuart H. Mann The Pennsylvania State University Division of Man-Environment Relations S-126 Human Development Building University Park, Pennsylvania 16802	1
Dr. Benedict F. Massell Research Director House of the Good Samaritan 25 Binny Street Boston, Mass. 02115	1
Dr. James E. Matheson Director, Decision Analysis Group Stanford Research Institute Menlo Park, CA 94025	1
Dr. Doug McClure VA Hospital (664/112) 3350 La Jolla Village Drive San Diego, CA 92161	1
Professor Richard Meyer Harvard Business School Soldiers Field Road Boston, Mass. 02163	1
Dr. Allen C. Miller, III Stanford Research Institute Menlo Park, CA 94025	1
Professor Holmes E. Miller School of Management Rensselaer Polytechnic Institute Troy, New York 12181	1
Dr. Matthew P. Mirabile Associate Director Health Studies Center	1

Bailey Hall  
Union College  
Schenectady, New York 12308

The MITRE Corporation 1  
PO Box 208  
Bedford, Mass. 02173  
Attn. Betty Brown

Professor Joel N. Morse 1  
School of Business Administration  
Department of General Business and Finance  
University of Massachusetts  
Amherst, Massachusetts 01002

Professor K. R. K. Nair 1  
Department of Business Administration  
The University of New Brunswick  
Fredericton, N. B.  
CANADA

National Aeronautics and Space Administration 1  
Lyndon B. Johnson Space Center  
Houston, Texas 77058  
Attn: Edwin Lunick FM3

Dr. Joan E. O'Bannon 1  
Project Administrator  
Health Services Research Center  
Kaiser Foundation Hospitals  
4707 S. E. Hawthorne Blvd.  
Portland, Oregon 97215

Dr. Greg Fawson 1  
13708 N. E. 70th Place  
Redmond, Washington 98195

Dr. Thomas C. Peebles 1  
General Medical Associates  
101 River Road  
Weston, Mass. 02193

Professor David W. Pentico 1  
Health Services Administration  
Graduate School of Public Health  
University of Pittsburgh  
Pittsburgh, PA 15261

Professor Carlos E. Perez 1  
University of Pittsburgh  
Department of Industrial Engineering  
Systems Management Engineering and Operations Research  
1043 Benedum Hall  
Pittsburgh, Pa. 15261

Mr. James A. Pope 1  
Guilford College Urban Center  
5800 West Friendly Ave.  
Greensboro, North Carolina 27410

Professor Howard Raiffa 1

Harvard Business School  
Soldiers Field Road  
Boston, Mass. 02163

Dr. W. T. Rasmussen, Code 3400  
Naval Electronics Laboratory Center  
San Diego, California 92152

Professor Richard A. Reid  
The University of New Mexico  
School of Business and Administrative Sciences  
Albuquerque, New Mexico 87131

Professor Edward J. Rising  
University of Massachusetts  
Amherst, Mass. 01002

Professor Stephen D. Roberts  
Indiana University School of Medicine  
Department of Community Health Sciences  
Marion County General Hospital  
960 Locke Street  
Indianapolis, Indiana 46202

Ms. Judith A. Roche  
Vector Research, Incorporated  
P.O. Box 1506  
Ann Arbor, Michigan 48106

Professor Carl A. Roth  
Graduate School of Management  
Department of Managerial Economics and Decision Sciences  
Northwestern University  
Evanston, Illinois 60201

Professor Howard F. Ruda  
California State College, Bakersfield  
9001 Stockdale Highway  
Bakersfield, California 93309

Dr. Donald F. Schaller  
Medical Director  
Arizona Health Plan  
925 E. McDowell Road  
Phoenix, Arizona 85006

I. M. Sircyevzhin  
Chm., Department of Economic Cybernetics  
Institute of Finance and Economy  
191023  
Leningrad, USSR

Professor Subrata K. Sen  
The University of Rochester  
The Graduate School of Management  
Rochester, New York 14627

Professor Keith V. Smith  
University of California, Los Angeles  
Graduate School of Management  
Los Angeles, CA 90024

J. E. Spalding 1  
Associate Professor  
College of Business Administration  
North Texas State University  
Denton, Texas 76203

Professor Charles Tilguin 1  
Department of Health Administration  
University of Montreal  
Case Postale 6128  
Montreal, Canada 101

Professor V. Srinivasan 1  
Stanford University  
Graduate School of Business  
Stanford, California 94305

Dr. Lawrence M. Thall 1  
Executive Director  
Thall and Earnhardt Associates, Inc.  
3178 Bluett Road  
Ann Arbor, Michigan 48105

Professor William Turban 1  
Director, Health Management Programs  
School of Business and Organizational Sciences  
Florida International University  
Tamiami Trail  
Miami, Florida 33144

Professor J. E. van Gigch 1  
Department of Management  
School of Business and Public Administration  
California State University, Sacramento  
6000 J Street  
Sacramento, California 95819

Professor Wayne Winston 1  
Indiana University  
Graduate School of Business  
School of Business Building  
Bloomington, Indiana 47401

Ms. Sue Wolff 1  
British Gas Corporation  
Research and Development Division  
326 High Holborn  
London, ENGLAND

Professor Tuncel M. Yegulalp 1  
Krumm School of Mines  
918 S. W. Mudd  
Columbia University  
520 W. 120th St.  
New York, N. Y. 10027

Professor David Zalkind 1  
Rm. 264 Dept. of Health Administration  
University of North Carolina  
Chapel Hill, North Carolina 27514

Professor Milan Zeleny  
Columbia University  
Graduate School of Business  
New York, N.Y. 10027

1

Professor W. T. Ziemba  
Faculty of Commerce and Business Administration  
University of British Columbia  
2075 Westbrook Place  
Vancouver, B.C., Canada

1

Dr. Russell Zimmerman  
E-K Dynamics, Inc.  
15825 Shady Grove Road  
Rockville, Maryland 20850

1



U173169



DUDLEY KNOX LIBRARY - RESEARCH REPORTS



5 6853 01071211 0

NPS